



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/642,654

08/19/2003

Toshio Miyazawa

520.39294CX1

3745

20457

7590

10/01/2004

ANTONELLI, TERRY, STOUT & KRAUS, LLP
1300 NORTH SEVENTEENTH STREET
SUITE 1800
ARLINGTON, VA 22209-9889

EXAMINER

PARKER, KENNETH

ART UNIT

PAPER NUMBER

2871

DATE MAILED: 10/01/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/642,654	Applicant(s) MIYAZAWA ET AL.	
	Examiner Kenneth A Parker	Art Unit 2871	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-6 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☒ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>2/11/04; 11/14/03; 8/14/2003</u> | 6) <input type="checkbox"/> Other: ____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamazaki et al 5933205 in view of Hasegawa 5064799, Takahashi et al 5712496, and Ipri 4597160, Morosawa JP10200120.

The primary reference shows regarding claim 1: A liquid crystal display device provided with a pixel area on a substrate having a plurality of gate lines, a plurality of drain lines, a plurality of thin film transistors and a plurality of pixel electrodes corresponding to said plurality of thin film transistors, and a drive circuit area disposed at a periphery of said substrate and having a drive circuit for driving said plurality of thin film transistors, said plurality of thin film transistors comprising: a polycrystalline silicon semiconductor layer formed on said substrate, a gate electrode formed on said polycrystalline silicon semiconductor layer with a gate insulating film interposed therebetween, an insulating film to cover said polycrystalline silicon semiconductor layer, said gate insulating film and said gate electrode, a drain electrode formed on said insulating film and electrically connected to said polycrystalline silicon semiconductor layer, and a source electrode formed on said insulating film, spaced

Art Unit: 2871

from said drain electrode and electrically connected to said polycrystalline silicon semiconductor layer. However the reference lacks the unevenness of a surface of said polycrystalline silicon semiconductor layer being within 10% of a thickness of said polycrystalline silicon semiconductor layer, and variations of positions of peaks of depth distributions of concentration of impurities introduced into said polycrystalline silicon semiconductor layer to determine a conductivity type thereof being within 10% of said thickness of said polycrystalline silicon semiconductor layer, said positions of said peaks being with respect to a surface of said substrate.

The primary reference lacks regarding claim 2 the unevenness of said surface of said polycrystalline silicon semiconductor layer and said variations of positions of the peaks of depth distributions of concentration of the impurities are present under said gate insulting film.

The primary reference shows regarding claim 3: A liquid crystal display device provided with a pixel area on a substrate having a plurality of gate lines, a plurality of drain lines, a plurality of thin film transistors and a plurality of pixel electrodes corresponding to said plurality of thin film transistors, and a drive circuit area disposed at a periphery of said substrate and having a drive circuit for driving said plurality of thin film transistors, said plurality of thin film transistors comprising: a polycrystalline silicon semiconductor layer formed on said substrate, a gate electrode formed on said polycrystalline silicon semiconductor layer with a gate insulating film interposed there between, an insulating film to cover said polycrystalline silicon semiconductor layer,

said gate insulating film and said gate electrode, a drain electrode formed on said insulating film and electrically connected to said polycrystalline silicon semiconductor layer, and a source electrode formed on said insulating film, spaced from said drain electrode and electrically connected to said polycrystalline silicon semiconductor layer. However the reference lacks the unevenness of a surface of said polycrystalline silicon semiconductor layer being within 10% of a thickness of said polycrystalline silicon semiconductor layer.

The primary reference lacks regarding claim 4 the unevenness of said surface of said polycrystalline silicon semiconductor layer is present under said gate insulating film.

The primary reference shows regarding claim 5: A liquid crystal display device provided with a pixel area on a substrate having a plurality of gate lines, a plurality of drain lines, a plurality of thin film transistors and a plurality of pixel electrodes corresponding to said plurality of thin film transistors, and a drive circuit area disposed at a periphery of said substrate and having a drive circuit for driving said plurality of thin film transistors, said plurality of thin film transistors comprising: a polycrystalline silicon semiconductor layer formed on said substrate, a gate electrode formed on said polycrystalline silicon semiconductor layer with a gate insulating film interposed there between, an insulating film to cover said polycrystalline silicon semiconductor layer, said gate insulating film and said gate electrode, a drain electrode formed on said insulating film and electrically connected to said polycrystalline silicon semiconductor layer, and a source electrode formed on said insulating film,

Art Unit: 2871

spaced from said drain electrode and electrically connected to said polycrystalline silicon semiconductor layer.

However, the reference lacks variations of positions of peaks of depth distributions of concentration of impurities introduced into said polycrystalline silicon semiconductor layer to determine a conductivity type thereof being within 10% of said thickness of said polycrystalline silicon semiconductor layer, said positions of said peaks being with respect to a surface of said substrate.

The primary reference lacks regarding claim 6 the variations of positions of the peaks of depth distributions of concentration of the impurities are present under said gate insulating film.

So the two missing element from the claims are the flatness of the layer and the evenness of the doping (the roughness under the gate electrode insulator is inherent as no one gets the roughness down to zero). Regarding the smoothness, the secondary references indicate that keeping the surface smooth improves the device performance. Takahashi et al indicates that the roughness should be kept to a few nm in the abstract, which is less than 10% of the 100nm thickness mentioned in the reference. Hasegawa indicates that the surface should be smooth (as possible- abstract, and less than 10 angstroms in spec) and that that enables the ability to control doping depth (col. 6, lines 30-49). Ipri indicates creating a smooth surface is desirable and that it gives good device properties (abstract). Therefore in the device of Yamazaki it

Art Unit: 2871

would have been obvious to one of ordinary skill to retain as smooth a surface as possible (including within 10% or better) for the purposes of better device properties.

The smooth surface should enable better control of doping depth, but also Hasegawa indicates discusses it as desirable (in the connection with the discussion of giving even device properties it is described as an end goal). Therefore it would have been inherent to the Yamazaki device as modified above, but also obvious to one of ordinary skill as the it was indicated as desirable.

Conclusion


The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth A Parker whose telephone number is 571-272-2298. The examiner can normally be reached on M-F 10:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert H. Kim can be reached on 571-272-2293. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2871

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Kenneth A Parker
Primary Examiner
Art Unit 2871